	GlobTek, Inc.	Drawing Title: USB-C (USB TYPE-C) USB 3.2 Gen 2 (USB 3.1 Gen 2, Superspeed + (USB 3.1), 6P		
	www.globtek.com	Model No. Connector		
	186 Veterans Drive,			
	Northvale, NJ 07647			
	Tel. (201) 784-1000	Part No./Ordering No. JACK-USBC-6SMT-2SL	Rev A2	
Fax (201) 784-0111				

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at http://www.globtek.com/iso-certificates/

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions (http://www.globtek.com/terms-and-conditions/).

Prop 65 Statement: https://www.globtek.com/prop-65-statement.pdf

Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:
Quote Number:	Date:
Authorized Representative Name:	Authorized Representative Signature:

GlobTek, Inc.	Drawing Title: USB-C (USB TYPE-C) USB 3.2 Gen 2 (USB 3.1 Gen 2, Superspeed + (USB 3.1), 6P	
www.globtek.com	Model No. Connector	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. JACK-USBC-6SMT-2SL	Rev A2
Fax (201) 784-0111		

REVISION HISTORY

REV	DESCRIPTION	SUB	DATE	APPROVED
A2	Update Product description in the Title drawing	QA	06/12/2024	QA
A1	Update to SF format	QA	07/24/2022	QA
Α	Initial release	QA	06/14/2019	QA

3D CAD FILE:

http://www.globtek.com/dl/JACK-USBC-6SMT-2SL.stp

AGENCY ONLINE DOCUMENTS

RoHS/RoHS3 Declaration	https://www.globtek.com/pdf/rohs_cert/01t3a000005CR0mAAG
REACH Declaration	https://www.globtek.com/r2/eM2co8
Conflict Minerals Declaration	https://www.globtek.com/r2/SNw6P3
Prop 65 Statement	https://www.globtek.com/r2/VMPRnr

IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering.

GlobTek, Inc.

www.globtek.com


186 Veterans Drive,
Northvale, NJ 07647
Tel. (201) 784-1000
Fax (201) 784-0111

Drawing Title: USB-C (USB TYPE-C) USB 3.2 Gen 2 (USB 3.1 Gen 2, Superspeed + (USB 3.1), 6P

Model No. Connector

Model No. JACK-USBC-6SMT-2SL


Rev A2



GlobTek, Inc.	Drawing Title: USB-C (USB TYPE-C) USB 3.2 Gen 2 (USB 3.1 Gen 2, Superspeed + (USB 3.1), 6P		
www.globtek.com	Model No. Connector		
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. JACK-USBC-6SMT-2SL	Rev A2	
Fax (201) 784-0111			

NOTES: SPECIFICATION: CURRENT RATING: 3.0A MAX. 1. VOLTAGE: 100VAC 2. TEMPERATURE RANGE: -30°C - 85°C 3. CONTACT RESISTANCE: 40 MILLIONHM MAX 4. INSULATION RESISTANCE: 100MEGOHMS MIN. 5. INSERTION FORCE: 5N - 20N 6. UNMATING FORCE: 8N - 20N 7. DURABILITY: 10,000CYCLES 8. WATER PROOFNESS: THIS PRODUCTS BASED ON IPX7 9. 6 PIN ONLY FOR PD FUNCTION, NO DATA

GlobTek, Inc.	Drawing Title: USB-C (USB TYPE-C) USB 3.2 Gen 2 (USB 3.1 Gen 2, Superspeed + (USB 3.1), 6P	
www.globtek.com	Model No. Connector	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. JACK-USBC-6SMT-2SL	Rev A2
Fax (201) 784-0111		



GlobTek, Inc.	Drawing Title: USB-C (USB TYPE-C) USB 3.2 Gen 2 (USB 3.1 Gen 2, Superspeed + (USB 3.1), 6P		
www.globtek.com	Model No. Connector		
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. JACK-USBC-6SMT-2SL	Rev A2	
Fax (201) 784-0111			

OUANTITY/INNER CARTON: 7200 PCS FREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARTON: 7200 PCS TREE 20 CAVE IN THE FRONT CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARRIER AND FREE 20 CAVE IN THE END CARRIER OUANTITY/INNER CARRIER AND FREE 20 CAVE IN THE END CARRIER AND FREE 20 CAVE IN THE EN		
	1. QUANTITY/REEL: 800 PCS	
	OHANTITY/INNER CARTON: 7200 PCS	

GlobTek, Inc.	Drawing Title: USB-C (USB TYPE-C) USB 3.2 Gen 2 (USB 3.1 Gen 2, Superspeed + (USB 3.1), 6P	
www.globtek.com	Model No. Connector	
186 Veterans Drive,		
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. JACK-USBC-6SMT-2SL	Rev A2
Fax (201) 784-0111		

PACKAGING Packing Spec P/N: Box Qty: 7200 Gift Box Size (mm): Gift Box Color: White Master Carton Size (mm): 330 x 330 x 320 Master Carton Cubic Volume (m³): 0.03 Master GW (Kg): kg wt Ea. (Kg): kg wt Ea. (Kg): kg LABEL SPECS:, PACK SPEC: